

**Equipment  
Price List -  
International (120v/60Hz)  
(Exc. Canada & Mexico)**



**Effective:  
July 1, 2021**

**Stationary Rack Electric Smoker (208v or 240v)**



**SC-300.....\$ 9,970**  
16.25 ft<sup>2</sup> cooking surface  
Additional rack configurations available

**Stationary Rack Gas Smoker (120v, Natural or LP)**



**SRG-400.....\$ 16,245**  
45.5 ft<sup>2</sup> cooking surface  
Additional rack configurations available

**Rotisserie Gas Smokers (120v, Natural or LP)**



**MLR-150.....\$ 14,680**  
18.5 ft<sup>2</sup> cooking surface



**SPX - 300.....\$ 18,900**  
30 ft<sup>2</sup> cooking surface



**SPK - 500.....\$ 21,990**  
52.5 ft<sup>2</sup> cooking surface



**SP - 700 (12").....\$ 28,650**  
72 ft<sup>2</sup> cooking surface  
**SP - 700 (18").....\$ 29,950**  
72 ft<sup>2</sup> cooking surface



**MLR - 850.....\$ 27,340**  
55 ft<sup>2</sup> cooking surface



**SPK - 1400 (12")..\$ 35,615**  
105 ft<sup>2</sup> cooking surface  
**SPK - 1400 (18")..\$ 37,480**  
105 ft<sup>2</sup> cooking surface  
**SPK - 1400 (18")..\$ 37,820**  
131.25 ft<sup>2</sup> cooking surface

All prices are in U.S. dollars and exclude any applicable duties, taxes, or freight.

For more information on Southern Pride smokers, including specification sheets and Owner's Manuals, visit:  
[www.southernpride.com](http://www.southernpride.com)

# Model: SC-300

208 volt AC, 60 hertz, 1-phase or 240 volt AC, 60 hertz, 1-phase

ON THE PURCHASE ORDER THE VOLTAGE (208 OR 240) MUST BE SPECIFIED.

**SC-300 Stainless Steel Interior and Exterior Stationary Rack Electric Smoker..... \$ 9,970**

**STANDARD FEATURES:**

- Control - Programmable digital cook and hold control (80° to 325°F)(27° to 163°C)
- Rack slides - (20) rack slides, 1 1/2" (38mm) spacing
- Product racks - (5) 18" x 26" (457 x 660mm) nickel chrome plated
- Heat source - (2) 2,250 watt main heating elements
- Dual woodchip boxes

**OPTIONAL FEATURES (Price based on purchase with smoker):**

Right hand door hinge .....	\$ 234
Internal meat probe system.....	\$ 455
Steam system (steam element replaces one smoke element) .....	\$ 525
Stainless steel product rack upgrade, (5) 18" x 26" (457 x 660mm) (substitution of standard chrome racks) .....	\$ 252
<b>-OR-</b>	
Chrome vertical rib rack upgrade, (5) (substitution of standard chrome racks).....	\$ 389
<b>-OR-</b>	
Stainless steel vertical rib rack upgrade, (5) (substitution of standard chrome racks).....	\$ 908

**ACCESSORIES (See Gas Smoker Accessories, page 11, for accessory descriptions):**

Drain pan with hose for cleaning 912022 .....	\$ 382
---	--------

**ADDITIONAL PRODUCT RACKS (price each):**

Product rack 18" x 26" (457 x 660mm) nickel chrome plated 970002 .....	\$ 33
Product rack 18" x 26" (457 x 660mm) stainless steel 971001.....	\$ 83
Rib rack (13 ribs per rack) nickel chrome plated 972003.....	\$ 110
Rib rack (13 ribs per rack) stainless steel 972502 .....	\$ 214

**SHIPPING (responsibility of the purchaser):**

Crated shipping weight (base model) - 450 lbs. (204kg)	
Crated dimensions (base model) - 27"L x 37"W x 67"H (686 x 940 x 1702mm)	
ISPM-15 compliant crate..... (net charge)\$	386

All prices are in U.S. dollars and exclude any applicable duties, taxes, or freight.

# Model: SRG-400

## 120 volt AC, 60 hertz, 1-phase

**ON THE PURCHASE ORDER THE GAS TYPE (NATURAL OR LP) MUST BE SPECIFIED.**

**SRG-400 Stainless Steel Interior and Exterior Stationary Rack Gas Smoker .....\$ 16,245**

**STANDARD FEATURES:**

- Control - Programmable digital cook and hold control with preset menu selection (140° to 325°F)(60° to 163°C)
- Rack slides - (27) rack slides, 1 1/2" (38mm) spacing
- Product racks - (14) 18" x 26" (457 x 660mm) nickel chrome plated
- Heat source - 65,000 BTU (19KW) burner with electronic pilot

**OPTIONAL FEATURES (Price based on purchase with smoker):**

Glass product display door upgrade .....	\$ 497
Trailer mount legs (required for trailer mounting to customer supplied trailer) .....	\$ 302
Stainless steel product rack upgrade, (14) 18" x 26"(457 x 660mm)(substitution of standard chrome racks) .....	\$ 706
<b>-OR-</b>	
(7) nickel chrome vertical rib racks (substitution of standard chrome racks) .....	\$ 316
<b>-OR-</b>	
(7) stainless steel vertical rib racks (substitution of standard chrome racks) .....	\$ 1,044

**ACCESSORIES (See Gas Smoker Accessories, page 11, for accessory descriptions):**

Drain pan with hose for cleaning 912022 .....	\$ 382
---	--------

**ADDITIONAL PRODUCT RACKS (price each):**

Product rack 18" x 26" (457 x 660mm) nickel chrome plated 970002 .....	\$ 33
Product rack 18" x 26" (457 x 660mm) stainless steel 971001.....	\$ 83
Rib rack (13 ribs per rack) nickel chrome plated 972003.....	\$ 110
Rib rack (13 ribs per rack) stainless steel 972502 .....	\$ 214

**SHIPPING (responsibility of the purchaser):**

Crated shipping weight (base model) - 1,400 lbs (635kg)	
Crated dimensions - 57"L x 48"W x 87"H (1448 x 1219 x 2210mm)	
ISPM-15 compliant crate..... (net charge)\$	799

All prices are in U.S. dollars and exclude any applicable duties, taxes, or freight.

# Model: MLR-150

120 volt AC, 60 hertz, 1-phase

ON THE PURCHASE ORDER THE GAS TYPE (NATURAL OR LP) AND FLUE LOCATION (FRONT OR REAR) MUST BE SPECIFIED.

**MLR-150 Stainless Steel Interior and Exterior Rotisserie Gas Smoker .....\$ 14,680**

**STANDARD FEATURES:**

- Control - Digital thermostat (allows for cook temperature selection only, 140° to 325°F (60° to 163°C))
- Rack hangers - (4) 3-tier, 2 1/2" (64mm) spacing, hanger assemblies
- Product racks - (12) 10" x 22" (254 x 559mm) nickel chrome plated
- Heat source - 65,000 BTU (19KW) burner with electronic pilot

**OPTIONAL FEATURES (Price based on purchase with smoker):**

Programmable digital cook and hold control (140° to 325°F)(60° to 163°C) .....	\$ 804
Mirror image (left side - firebox and drain; right side - drive system and service bay, product loading door hinges).....	\$ 776
Glass product display door upgrade .....	\$ 497
Working height locking casters.....	\$ 315
Trailer mount legs (required for trailer mounting to customer supplied trailer) .....	\$ 302
Stainless steel product rack upgrade, (12) 10" x 22"(254 x 559mm)(substitution of standard chrome racks) .....	\$ 391

**ACCESSORIES (See Gas Smoker Accessories, page 11, for accessory descriptions):**

Smoke extractor damper 593004 .....	\$ 1,437
Product shelf 993011 .....	\$ 331
Lockable control panel cover 291017 .....	\$ 335
Delivery casters (set of 4).....	\$ 288
Through the wall insulation kit 087002 .....	\$ 194
Through the wall stainless steel trim kit 993023 .....	\$ 377
Drain pan with hose for cleaning 912021 .....	\$ 411
Competition package .....	\$ 696
Mobile rack retainer pins and clips.....	\$ 104

**ADDITIONAL PRODUCT RACKS (price each):**

Product rack 10" x 22" (254 x 559mm) nickel chrome plated 970021 .....	\$ 30
Product rack 10" x 22" (254 x 559mm) stainless steel 971013.....	\$ 63
Modular stainless steel rib rack (holds 4 slabs vertically, or inverts to hold 1 ham) (smoker can hold 8) 972512 .....	\$ 44

**SHIPPING (responsibility of the purchaser):**

Crated shipping weight (base model) - 1,200 lbs (544kg)	
Crated dimensions - 85"L x 60"W x 82"H (2159 x 1524 x 2083mm)	
ISPM-15 compliant crate..... (net charge)\$	969

All prices are in U.S. dollars and exclude any applicable duties, taxes, or freight.

# Model: SPX-300

## 120 volt AC, 60 hertz, 1-phase

**ON THE PURCHASE ORDER THE GAS TYPE (NATURAL OR LP) AND FLUE LOCATION (FRONT OR REAR) MUST BE SPECIFIED.**

**SPX-300 Stainless Steel Interior and Exterior Rotisserie Gas Smoker .....\$ 18,900**

**STANDARD FEATURES:**

- Control - Digital thermostat (allows for cook temperature selection only, 140° to 325°F (60° to 163°C))
- Rack hangers - (4) 3-tier, 3 1/2" (89mm) spacing, hanger assemblies
- Product racks - (12) 12" x 30" (305 x 762mm) nickel chrome plated
- Heat source - 75,000 BTU (22KW) burner with electronic pilot

**OPTIONAL FEATURES (Price based on purchase with smoker):**

Programmable digital cook and hold control (140° to 325°F)(60° to 163°C) .....	\$ 804
Mirror image (left side - firebox and drain; right side - drive system and service bay) .....	\$ 776
Glass product display doors upgrade.....	\$ 993
Working height locking casters.....	\$ 315
Trailer mount legs (required for trailer mounting to customer supplied trailer) .....	\$ 302
Stainless steel product rack upgrade, (12) 12" x 30"(305 x 762mm)(substitution of standard chrome racks) .....	\$ 403

**ACCESSORIES (See Gas Smoker Accessories, page 11, for accessory descriptions):**

Smoke extractor damper 593004 .....	\$ 1,437
Product shelf 993012 .....	\$ 331
Lockable control panel cover 291017 .....	\$ 335
Delivery casters (set of 4).....	\$ 288
Through the wall insulation kit 087003 .....	\$ 231
Through the wall stainless steel trim kit 993010 .....	\$ 377
Drain pan with hose for cleaning 912021 .....	\$ 411
Mobile rack retainer pins and clips .....	\$ 129

**ADDITIONAL PRODUCT RACKS (price each):**

Product rack 12" x 30" (305 x 762mm) nickel chrome plated 970011 .....	\$ 38
Product rack 12" x 30" (305 x 762mm) stainless steel 971006.....	\$ 71
Modular stainless steel rib rack (holds 5 slabs vertically, or inverts to hold 1 ham) (smoker can hold 8) 972511 .....	\$ 44

**SHIPPING (responsibility of the purchaser):**

Crated shipping weight (base model) - 1,500 lbs (680kg)	
Crated dimensions - 90"L x 67"W x 82"H (2286 x 1702 x 2083mm)	
ISPM-15 compliant crate.....	(net charge)\$ 969

All prices are in U.S. dollars and exclude any applicable duties, taxes, or freight.

# Model: SPK-500

## 120 volt AC, 60 hertz, 1-phase

**ON THE PURCHASE ORDER THE GAS TYPE (NATURAL OR LP) AND FLUE LOCATION (FRONT OR REAR) MUST BE SPECIFIED.**

**SPK-500 Stainless Steel Interior and Exterior Rotisserie Gas Smoker .....\$ 21,990**

**STANDARD FEATURES:**

- Control - Digital thermostat (allows for cook temperature selection only, 140° to 325°F (60° to 163°C))
- Rack hangers - (5) 3-tier, 3 1/2" (89mm) spacing, hanger assemblies
- Product racks - (15) 12" x 42" (305 x 1067mm) nickel chrome plated
- Heat source - 75,000 BTU (22KW) burner with electronic pilot

**OPTIONAL FEATURES (Price based on purchase with smoker):**

Programmable digital cook and hold control (140° to 325°F)(60° to 163°C) .....	\$ 804
Mirror image (left side - firebox and drain; right side - drive system and service bay) .....	\$ 776
Glass product display doors upgrade.....	\$ 993
Working height locking casters.....	\$ 315
Trailer mount legs (required for trailer mounting to customer supplied trailer) .....	\$ 302
Stainless steel product rack upgrade, (15) 12" x 42"(305 x 1067mm)(substitution of standard chrome racks) .....	\$ 803

**ACCESSORIES (See Gas Smoker Accessories, page 11, for accessory descriptions):**

Smoke extractor damper 593004 .....	\$ 1,437
Product shelf 993002 .....	\$ 331
Lockable control panel cover 291017 .....	\$ 335
Delivery casters (set of 4).....	\$ 288
Through the wall insulation kit 087005 .....	\$ 271
Through the wall stainless steel trim kit 993022 .....	\$ 377
Drain pan with hose for cleaning 912021 .....	\$ 411
Mobile rack retainer pins and clips .....	\$ 129

**ADDITIONAL PRODUCT RACKS (price each):**

Product rack 12" x 42" (305 x 1067mm) nickel chrome plated 970017 .....	\$ 53
Product rack 12" x 42" (305 x 1067mm) stainless steel 971010.....	\$ 106
Modular stainless steel rib rack (holds 5 slabs vertically, or inverts to hold 1 ham) (smoker can hold 20) 972511 .....	\$ 44

**SHIPPING (responsibility of the purchaser):**

Crated shipping weight (base model) - 1,875 lbs (850kg)	
Crated dimensions - 92"L x 80"W x 84"H (2337 x 2032 x 2134mm)	
ISPM-15 compliant crate.....	(net charge)\$ 971

All prices are in U.S. dollars and exclude any applicable duties, taxes, or freight.

# Model: SP-700

120 volt AC, 60 hertz, 1-phase

ON THE PURCHASE ORDER THE GAS TYPE (NATURAL OR LP) AND FLUE LOCATION (FRONT OR REAR) MUST BE SPECIFIED.

**SP-700 Stainless Steel Interior and Exterior Rotisserie Gas Smoker .....\$ 28,650**

**STANDARD FEATURES:**

- Control - Digital thermostat (allows for cook temperature selection only, 140° to 325°F (60° to 163°C))
- Rack hangers - (6) 3-tier, 3 1/2" (89mm) spacing, hanger assemblies
- Product racks - (18) 12" x 48" (305 x 1219mm) nickel chrome plated
- Heat source - 150,000 BTU (44KW) burner with electronic pilot

**OPTIONAL FEATURES (Price based on purchase with smoker):**

Programmable digital cook and hold control (140° to 325°F)(60° to 163°C) .....	\$ 804
Mirror image (left side - firebox and drain; right side - drive system and service bay) .....	\$ 776
Glass product display doors upgrade.....	\$ 993
Working height locking casters .....	\$ 315
Trailer mount legs (required for trailer mounting to customer supplied trailer) .....	\$ 302
Stainless steel product rack upgrade, (18) 12" x 48"(305 x 1219mm)(substitution of standard chrome racks) .....	\$ 1,077

**-OR-**

18" rack system - (12) 18"x 48" product racks on 4 - 3 tier rack hangers with 4 1/2" rack spacing .....	\$ 1,300
457mm rack system - (12) 457 x 1219mm product racks on 4 - 3 tier rack hangers with 114mm rack spacing	
Stainless steel product rack upgrade, (12) 18" x 48"(457 x 1219mm)(substitution of standard chrome racks) .....	\$ 1,512

**ACCESSORIES (See Gas Smoker Accessories, page 11, for accessory descriptions):**

Smoke extractor damper 593004 .....	\$ 1,437
Product shelf 993013 .....	\$ 331
Lockable control panel cover 291017 .....	\$ 335
Delivery casters (set of 4).....	\$ 288
Through the wall insulation kit 087004 .....	\$ 310
Through the wall stainless steel trim kit 993014 .....	\$ 527
Drain pan with hose for cleaning 912021 .....	\$ 411
Mobile rack retainer pins and clips (12" rack system) .....	\$ 156
Mobile rack retainer pins and clips (18" rack system) .....	\$ 111

**ADDITIONAL PRODUCT RACKS (price each):**

Product rack 12" x 48" (305 x 1219mm) nickel chrome plated 970014 .....	\$ 57
Product rack 12" x 48" (305 x 1219mm) stainless steel 971008.....	\$ 117
Product rack 18" x 48" (457 x 1219mm) nickel chrome plated 970013 .....	\$ 79
Product rack 18" x 48" (457 x 1219mm) stainless steel 971007.....	\$ 205
Modular stainless steel rib rack (holds 5 slabs vertically, or inverts to hold 1 ham) (smoker can hold 36) 972511 .....	\$ 44

**SHIPPING (responsibility of the purchaser):**

Crated shipping weight (base model) - 2,230 lbs (1012kg)	
Crated dimensions - 106"L x 81"W x 87"H (2692 x 2057 x 2210mm)	
ISPM-15 compliant crate..... (net charge)\$	1,183

All prices are in U.S. dollars and exclude any applicable duties, taxes, or freight.



# Model: MLR-850

120 volt AC, 60 hertz, 1-phase

ON THE PURCHASE ORDER THE GAS TYPE (NATURAL OR LP) AND FLUE LOCATION (FRONT OR REAR) MUST BE SPECIFIED.

**MLR-850 Stainless Steel Interior and Exterior Rotisserie Gas Smoker .....\$ 27,340**

**STANDARD FEATURES:**

- Control - Digital thermostat (allows for cook temperature selection only, 140° to 325°F (60° to 163°C))
- Rack hangers - (4) 5-tier, 3 1/2" (89mm) spacing, hanger assemblies
- Product racks - (20) 18" x 22" (457 x 559mm) nickel chrome plated
- Heat source - 125,000 BTU (37KW) burner with electronic pilot

**OPTIONAL FEATURES (Price based on purchase with smoker):**

Programmable digital cook and hold control (140° to 325°F)(60° to 163°C) .....	\$ 804
Mirror image (left side - firebox and drain; right side - drive system and service bay, product loading door hinges).....	\$ 776
Glass product display door upgrade .....	\$ 497
Trailer mount legs (required for trailer mounting to customer supplied trailer) .....	\$ 302
Stainless steel product rack upgrade, (20) 18" x 22"(457 x 559mm)(substitution of standard chrome racks) .....	\$ 2,310

**ACCESSORIES (See Gas Smoker Accessories, page 11, for accessory descriptions):**

Smoke extractor damper 593004 .....	\$ 1,437
Product shelf 993011 .....	\$ 331
Lockable control panel cover 291017 .....	\$ 335
Delivery casters / working height locking casters (set of 4).....	\$ 288
Through the wall insulation kit 087003 .....	\$ 231
Through the wall stainless steel trim kit 993015 .....	\$ 434
Mobile rack retainer pins and clips .....	\$ 104

**ADDITIONAL PRODUCT RACKS (price each):**

Product rack 18" x 22" (457 x 559mm) nickel chrome plated 970015 .....	\$ 71
Product rack 18" x 22" (457 x 559mm) stainless steel 971009.....	\$ 187
Modular stainless steel rib rack (holds 5 slabs vertically, or inverts to hold 1 ham) (smoker can hold 12) 972511 .....	\$ 44

**SHIPPING (responsibility of the purchaser):**

Crated shipping weight (base model) - 2,275 lbs (1032kg)	
Crated dimensions - 110"L x 61"W x 85"H (2794 x 1549 x 2159mm)	
ISPM-15 compliant crate..... (net charge)\$	1,075

All prices are in U.S. dollars and exclude any applicable duties, taxes, or freight.

# Model: SPK-1400

120 volt AC, 60 hertz, 1-phase

ON THE PURCHASE ORDER THE GAS TYPE (NATURAL OR LP) AND FLUE LOCATION (FRONT OR REAR) MUST BE SPECIFIED.

**SPK-1400 Stainless Steel Interior and Exterior Rotisserie Gas Smoker .....\$ 35,615**

**STANDARD FEATURES:**

- Control - Digital thermostat (allows for cook temperature selection only, 140° to 325°F (60° to 163°C))
- Rack hangers - (6) 5-tier, 3 1/2" (89mm) spacing, hanger assemblies
- Product racks - (30) 12" x 42" (305 x 1067mm) nickel chrome plated
- Heat source - 150,000 BTU (44KW) burner with electronic pilot

**OPTIONAL FEATURES (Price based on purchase with smoker):**

Programmable digital cook and hold control (140° to 325°F)(60° to 163°C) .....	\$ 804
Mirror image (left side - firebox and drain; right side - gear motor, burner and utility connections).....	\$ 776
Glass product display doors upgrade.....	\$ 993
Trailer mount legs (required for trailer mounting to customer supplied trailer) .....	\$ 302
Stainless steel product rack upgrade, (30) 12" x 42"(305 x 1067mm)(substitution of standard chrome racks) .....	\$ 1,607

**-OR-**

18" rack system - (25) 18"x 42" product racks on 5 - 5 tier rack hangers with 3 1/2" rack spacing .....	\$ 2,205
457mm rack system - (25) 457 x 1067mm product racks on 5 - 5 tier rack hangers with 89mm rack spacing	
Stainless steel product rack upgrade, (25) 18" x 42"(457 x 1067mm)(substitution of standard chrome racks) .....	\$ 3,124

**-OR-**

18" rack system - (20) 18"x 42" product racks on 5 - 4 tier rack hangers with 4 11/16" rack spacing .....	\$ 1,865
457mm rack system - (20) 457 x 1067mm product racks on 5 - 4 tier rack hangers with 119mm spacing	
Stainless steel product rack upgrade, (20) 18" x 42"(457 x 1067mm)(substitution of standard chrome racks) .....	\$ 2,499

**ACCESSORIES (See Gas Smoker Accessories, page 11, for accessory descriptions):**

Smoke extractor damper 593004 .....	\$ 1,437
Product shelf 993002 .....	\$ 331
Lockable control panel cover 291017 .....	\$ 335
Delivery casters / working height locking casters (set of 4).....	\$ 288
Through the wall insulation kit 087006 .....	\$ 348
Through the wall stainless steel trim kit 993017 .....	\$ 527
Mobile rack retainer pins and clips (12" rack system) .....	\$ 156
Mobile rack retainer pins and clips (18" rack system) .....	\$ 134

**ADDITIONAL PRODUCT RACKS (price each):**

Product rack 12" x 42" (305 x 1067mm) nickel chrome plated 970017 .....	\$ 53
Product rack 12" x 42" (305 x 1067mm) stainless steel 971010.....	\$ 106
Product rack 18" x 42" (457 x 1067mm) nickel chrome plated 970020 .....	\$ 78
Product rack 18" x 42" (457 x 1067mm) stainless steel 971011.....	\$ 203
Modular stainless steel rib rack (holds 5 slabs vertically, or inverts to hold 1 ham) (smoker can hold 36) 972511 .....	\$ 44

**SHIPPING (responsibility of the purchaser):**

Shipping weight (base model) - 2,400 lbs (1089kg), crating NOT available.

All prices are in U.S. dollars and exclude any applicable duties, taxes, or freight.

# Gas Smoker Accessories

Refer to model pages for availability.

**Drain pan with hose for cleaning** - Full size, 6" (152mm) deep polycarbonate pan with a 1" ID ball valve and 10' (3048mm) of hose. The pan is placed under the drain on the smoker and the hose is ran to the grease trap, or to floor drain that runs to a grease trap. This allows the smoker to be cleaned and the dirty water and cleaning solutions to run to the grease trap. **This is only used for cleaning and should not be used to capture hot grease.**

**Smoke extractor damper** - Stainless steel motorized damper that activates when the product door is opened, or when the down arrow is pressed (optional cook and hold control only). The smoke extractor damper works in conjunction with the roof exhaust fan (**not provided**) to pull the smoke out of the smoker as the product doors are being opened.

**Product shelf** - 12" (305mm) deep stainless steel shelf on the front of the smoker, below the control panel, that allows product or utensils to be placed for easier loading and unloading.

**Lockable control panel cover** - Stainless steel sides with a Plexiglas front and a locking mechanism that allows the cover to be locked to prevent tampering with the control.

**Delivery casters** - 6" (152mm) casters are inserted in place of the smoker's permanent legs and are used to lower the smoker and allow for easier maneuvering during shipping and installation.

**Through the wall insulation kit** - When installing a smoker through a wall of combustible material an insulation kit must be used. The non combustible ceramic fiber board must be installed between the smoker and the combustible material. The kit consists of 1" (25mm) thick, 8" (203mm) wide, boards that are installed on the top and each side of the smoker.

**Through the wall trim kit** - A stainless steel trim kit that covers the gap between the smoker and the wall on all four sides of the smoker. The trim kit is only for one side of the building; two can be used for the interior and exterior of the building.

**Competition package** - The package consists of a moisture infusion system, gas cut-off switch and charcoal firebox insert. The moisture infusion system is a 3 gallon (11 liter) plastic container that attaches to the back of the smoker and uses a gravity drip system to drip liquid onto the top of the firebox and produce steam. **Only non-flammable liquid should be used.** The gas cut-off switch shuts the gas off to the burner, but still allows the burner blower motor to run and stoke the fire in the firebox. The charcoal firebox insert is a mild steel vented container that allows charcoal to be placed in the firebox.

**Mobile rack retainer pins and clips** - Stainless steel pins and clips are inserted through the each side of the product rack hangers and product racks and hold the product racks in place during transit.

All prices are in U.S. dollars and exclude any applicable duties, taxes, or freight.

# Emergency Parts Kits - Stationary Rack Smokers

Models	SC-300	SC-300 w/ probe	SC-300 w/ steam	SC-300 w/ steam w/ probe
<b>Kit Stock Code (Based on Voltage)</b>	<b>208v - 990049 240v - 990050</b>	<b>208v - 990051 240v - 990052</b>	<b>208v - 990053 240v - 990054</b>	<b>208v - 990055 240v - 990056</b>
Cook & Hold Control	431044	431045	431046	431047
Solid State Relays	422005 (40 Amp) 422006 (10 Amp)	422005 (40 Amp) 422006 (10 Amp)	422005 (40 Amp) 422006 (10 Amp)	422005 (40 Amp) 422006 (10 Amp)
Smoke Element - 300 Watt	436033 (208v) 436034 (230v)	436033 (208v) 436034 (230v)	436033 (208v) 436034 (230v)	436033 (208v) 436034 (230v)
Steam Element - 750 Watt	N/A	N/A	436036 (208v) 436032 (230v)	436036 (208v) 436032 (230v)
Main Element - 2250 Watt	436012 (208v) 436013 (240v)	436012 (208v) 436013 (240v)	436012 (208v) 436013 (240v)	436012 (208v) 436013 (240v)
Transformer	425002	425002	425002	425002
Cooling Fan Blade - Convection Motor	534001	534001	534001	534001
Blower Wheel - Convection Motor	531002	531002	531002	531002
Convection Motor	521006	521006	521006	521006
Product Loading Door Gasket	070102	070102	070102	070102
<b>List Price</b>	<b>\$1,920</b>	<b>\$1,920</b>	<b>\$2,040</b>	<b>\$2,040</b>

Models	SRG-400
<b>Kit Stock Code (Based on Gas Type)</b>	<b>Natural - 990024 LP - 990025</b>
<b>Burner</b>	
Transformer - 120 VAC to 24 VAC	582005
Combustion Air Motor	582008
Gas Valve	582010 (Nat) 582016 (LP)
Electrode/Pilot Assembly	582011 (Nat) 582015 (LP)
High Voltage Lead	582012
Ignition Control Module	582019
<b>Switches / Relays</b>	
10 Amp Solid State Relay	422006
<b>Temperature Control</b>	
Cook & Hold Control	431024
Thermocouple - Type "K"	435011 (1')
<b>Convection System</b>	
Convection Fan Motor	522009
Convection Blower Wheel	531003 (10")
Cooling Fan Blade	532004 (8")
<b>Product Loading Door Gasket</b>	070092
<b>List Price</b>	<b>\$2,725</b>

# Emergency Parts Kits - Rotisserie Smokers

<b>Models</b>	<b>MLR-150</b>	<b>MLR-150</b>	<b>SPX-300</b>	<b>SPX-300</b>
<b>Kit Stock Code (Based on Gas Type)</b>	<b>Natural - 990005 LP - 990006</b>	<b>Natural - 990007 LP - 990008</b>	<b>Natural - 990009 LP - 990010</b>	<b>Natural - 990012 LP - 990013</b>
<b>Control Type</b>	Digital Thermostat	Cook and Hold	Digital Thermostat	Cook and Hold
<b>Burner</b>				
Transformer - 120 VAC to 24 VAC	582005	582005	582005	582005
Combustion Air Motor	582008	582008	582008	582008
Gas Valve	582010 (Nat) 582016 (LP)	582010 (Nat) 582016 (LP)	582010 (Nat) 582016 (LP)	582010 (Nat) 582016 (LP)
Electrode/Pilot Assembly	582011 (Nat) 582015 (LP)	582011 (Nat) 582015 (LP)	582011 (Nat) 582015 (LP)	582011 (Nat) 582015 (LP)
High Voltage Lead	582012	582012	582012	582012
Ignition Control Module	582019	582019	582019	582019
<b>Switches / Relays</b>				
Product Door Proximity Switch	444015	444015	444015	444015
Relay	444023	444023	444023	444023
10 Amp Solid State Relay	422006	422006	422006	422006
<b>Temperature Control</b>				
Control	432001	431020	432001	431020
Thermocouple - Type "K"	435001 (1")	435001 (1")	435001 (1")	435001 (1")
<b>Convection System</b>				
Convection Fan Motor	522004	522004	522004	522004
Convection Fan Blade	532004 (8")	532004 (8")	532004 (8")	532004 (8")
Cooling Fan Blade	532004 (8")	532004 (8")	532004 (8")	532004 (8")
<b>Product Loading Door Gasket</b>	070088	070088	070080	070080
<b>List Price</b>	<b>\$2,230</b>	<b>\$2,620</b>	<b>\$2,250</b>	<b>\$2,640</b>

# Emergency Parts Kits - Rotisserie Smokers

<b>Models</b>	<b>SPK-500</b>	<b>SPK-500</b>	<b>SP-700</b>	<b>SP-700</b>
<b>Kit Stock Code (Based on Gas Type)</b>	<b>Natural - 990014 LP - 990015</b>	<b>Natural - 990016 LP - 990017</b>	<b>Natural - 990022 LP - 990023</b>	<b>Natural - 990028 LP - 990029</b>
<b>Control Type</b>	Digital Thermostat	Cook and Hold	Digital Thermostat	Cook and Hold
<b>Burner</b>				
Transformer - 120 VAC to 24 VAC	582005	582005	582005	582005
Combustion Air Motor	582008	582008	582008	582008
Gas Valve	582010 (Nat) 582016 (LP)	582010 (Nat) 582016 (LP)	582010 (Nat) 582016 (LP)	582010 (Nat) 582016 (LP)
Electrode/Pilot Assembly	582011 (Nat) 582015 (LP)	582011 (Nat) 582015 (LP)	582011 (Nat) 582015 (LP)	582011 (Nat) 582015 (LP)
High Voltage Lead	582012	582012	582012	582012
Ignition Control Module	582019	582019	582019	582019
<b>Switches / Relays</b>				
Product Door Proximity Switch	444015	444015	444015	444015
Relay	444023	444023	444023	444023
10 Amp Solid State Relay	422006	422006	422006	422006
<b>Temperature Control</b>				
Control	432001	431020	432001	431020
Thermocouple - Type "K"	435001 (1")	435001 (1")	435001 (1")	435001 (1")
<b>Convection System</b>				
Convection Fan Motor	522004	522004	522004	522004
Convection Fan Blade	532004 (8")	532004 (8")	532011 (12")	532011 (12")
Cooling Fan Blade	532004 (8")	532004 (8")	532004 (8")	532004 (8")
<b>Product Loading Door Gasket</b>	070081	070081	070089	070089
<b>List Price</b>	<b>\$2,285</b>	<b>\$2,670</b>	<b>\$2,330</b>	<b>\$2,720</b>

# Emergency Parts Kits - Rotisserie Smokers

<b>Models</b>	<b>MLR-850</b>	<b>MLR-850</b>	<b>SPK-1400</b>	<b>SPK-1400</b>
<b>Kit Stock Code (Based on Gas Type)</b>	<b>Natural - 990018 LP - 990019</b>	<b>Natural - 990020 LP - 990021</b>	<b>Natural - 990001 LP - 990002</b>	<b>Natural - 990003 LP - 990004</b>
<b>Control Type</b>	Digital Thermostat	Cook and Hold	Digital Thermostat	Cook and Hold
<b>Burner</b>				
Transformer - 120 VAC to 24 VAC	582005	582005	582005	582005
Combustion Air Motor	582008	582008	582008	582008
Gas Valve	582010 (Nat) 582016 (LP)	582010 (Nat) 582016 (LP)	582010 (Nat) 582016 (LP)	582010 (Nat) 582016 (LP)
Electrode/Pilot Assembly	582011 (Nat) 582015 (LP)	582011 (Nat) 582015 (LP)	582011 (Nat) 582015 (LP)	582011 (Nat) 582015 (LP)
High Voltage Lead	582012	582012	582012	582012
Ignition Control Module	582019	582019	582019	582019
<b>Switches / Relays</b>				
Product Door Proximity Switch	444015	444015	444015	444015
Relay	444023	444023	444023	444023
10 Amp Solid State Relay	422006	422006	422006	422006
<b>Temperature Control</b>				
Control	432001	431020	432001	431020
Thermocouple - Type "K"	435001 (1")	435001 (1")	435001 (1")	435001 (1")
<b>Convection System</b>				
Convection Fan Motor	522004	522004	522004	522004
Convection Fan Blade	532010 (10")	532010 (10")	532011 (12")	532011 (12")
Cooling Fan Blade	532004 (8")	532004 (8")	532004 (8")	532004 (8")
<b>Product Loading Door Gasket</b>	070090	070090	070101	070101
<b>List Price</b>	<b>\$2,300</b>	<b>\$2,690</b>	<b>\$2,340</b>	<b>\$2,730</b>

# Sales Terms and Conditions

**PLEASE READ THE FOLLOWING TERMS AND CONDITIONS CAREFULLY. THEY MATERIALLY AFFECT THE PARTIES' OBLIGATIONS. SELLER WILL ACCEPT ORDERS AND DO BUSINESS ONLY ON THE TERMS AND CONDITIONS ON THIS FORM.**

**I. ACCEPTANCE AND AGREEMENT:** The provisions on the face of the Southern Pride Distributing, LLC (the "Seller") acknowledgment and these Terms and Conditions of Sale constitute the entire agreement between Seller and the customer (the "Customer") with respect to the purchase and sale of the products covered hereby (the "Products"), and supersede Customer's purchase order and all other communication between the parties, whether written or oral. No purported modification or waiver of the provisions hereof shall be binding on Seller for any reason of purpose unless contained in writing signed by an authorized representative of Seller.

**II. LIMITED WARRANTY:** Southern Pride Distributing, LLC. warrants to the original purchaser that any original part found to be defective in material or workmanship will, at Southern Pride Distributing's option, subject to provisions hereinafter stated, be replaced with a new or rebuilt part. The labor warranty, provided only in the U.S.A., remains in effect one (1) year from installation or fifteen (15) months from the shipping date, whichever occurs first. Southern Pride Distributing will bear normal labor charges performed by an authorized Southern Pride Distributing service agent during standard business hours, and excluding overtime, holiday rates or any additional fees. The parts warranty remains in effect for one (1) year from installation or fifteen (15) months from the shipping date, whichever occurs first. All warranty parts ship via standard ground delivery service.

The warranty does not cover the following:

- Improper installation, delivery or maintenance.
- Failure of the Product if it is abused, misused, or used for other than the intended purpose.
- Products which are not defective or broken, or which are working as described in the Owner's Manual.
- Damage to the Product caused by accident, fire, floods or acts of God.
- Damage caused by services performed by unauthorized service companies.
- Service calls to correct the installation of your Product or to instruct you how to use your Product.
- Expenses for making the Product accessible for servicing.
- Replacement of consumable parts; belts, gaskets, light bulbs, etc.

**III. NO IMPLIED WARRANTY, REPRESENTATION OR CONDITION:** To the extent permitted by law, neither Southern Pride nor any company/individual affiliated with it, makes any warranties, representations, conditions or promises express or implied as to the quality, performance or freedom from defect of the Products covered by these warranties other than those set forth above, and NO STATUTORY OR IMPLIED WARRANTIES OR CONDITIONS OF MERCHANTABILITY OR APPLICABLE PERIOD OF WARRANTY SET FORTH ON THIS PAGE. THE PURCHASER'S ONLY REMEDIES IN CONNECTION WITH THE BREACH OR PERFORMANCE OF ANY WARRANTY ON THE PRODUCTS ARE THOSE SET FORTH ON THIS PAGE. IN NO EVENT WILL SOUTHERN PRIDE OR ANY COMPANY/INDIVIDUAL AFFILIATED WITH IT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES. In no event shall Southern Pride be liable for loss of use, loss of revenue or profit, or loss of product, or for any indirect, incidental or consequential damages.

**IV. LIMITATION OF LIABILITY:** SELLER WILL NOT BE LIABLE UNDER ANY CIRCUMSTANCES FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES, INCLUDING WITHOUT LIMITATION ANY LOST PROFITS OR LABOR COSTS, ARISING FROM THE SALE, USE OR INSTALLATION OF THE PRODUCTS, FROM THE PRODUCTS BEING INCORPORATED INTO OR BECOMING A COMPONENT OF ANOTHER PRODUCT OR FROM ANY OTHER CAUSE WHATSOEVER, WHETHER BASED ON WARRANTY (EXPRESSED OR IMPLIED) OR OTHERWISE BASED ON CONTRACT, ON TORT OR ANY OTHER THEORY OF LIABILITY, AND REGARDLESS OF ANY ADVICE OR REPRESENTATIONS NOT IN WRITING THAT MAY HAVE BEEN RENDERED BY SELLER CONCERNING THE SALE, USE OR INSTALLATION OF THE PRODUCTS. In the event the above warranty fails to correct the purchaser's problems caused by defects in workmanship and/or materials, purchaser's exclusive remedy shall be limited to payment by Southern Pride of actual damages in an amount not to exceed the amount paid for the product.

**V. DELAYS BEYOND THE CONTROL OF THE SELLER:** Seller shall have no liability as a result of any delay or failure to manufacture, ship or deliver any Products to Customer if such delay or failure is directly or indirectly caused by fire, flood, strike, or other labor dispute, accident, inadequate transportation, shortage of labor, material or supplies, or due to regulations, priorities or orders of any governmental authority or due to any other cause, whether or not similar to the foregoing, beyond the reasonable control of Seller.

**VI. CANCELLATION/CHANGE ORDERS:** Seller must receive written notification of all cancellations and changes on in-house orders within 48 hours from date of order acknowledgment. Customer will be responsible for outgoing and return freight charges on orders shipped prior to the receipt by Seller of a written notice of cancellation or order change. Cancellation of Customer's order will be subject to Customer's payment of Seller's 20% cancellation charges, which shall include all reasonable costs incurred by Seller in preparing to meet Customer's anticipated delivery schedule, including without limitation commitments made by Seller to its suppliers, and the cost of inventory (raw materials, work-in-process and finished goods) allocated to Customer's order. Change orders will be billed in fifteen minute increments at a rate of \$75.00 per hour for both administrative and any applicable production labor required to accommodate the change order, plus any applicable component part cost, any change to order will incur a minimum \$50.00 processing fee.

(Continued on next page)



# Sales Terms and Conditions (continued)

**VII. SHIPMENT AND RETURNS:** Seller reserves the right to select the manner and route of shipment unless at least 5 days prior to shipment Customer furnishes exact shipping instructions. Any Products which are not shipped as scheduled on account of Customer will be held at the sole risk and expense of Customer. All shipments for domestic sales (i.e., when the destination is within the United States) shall be F.O.B., point of shipment (within the meaning of the Uniform Commercial Code) and for export sales shall be Ex-Works, Seller's plant in Alamo, Tennessee, U.S.A. (within the meaning of INCOTERMS 2010), unless otherwise stated on the face of the Southern Pride Distributing acknowledgment. Prices are quoted based on these F.O.B. or Ex-Works terms, as applicable, unless otherwise specified. Prices include skidding, crating or boxing unless otherwise noted. Export processing and boxing for overseas shipment are at additional cost, as separately quoted. Customer agrees to assure all risks of loss or damage to the Products while being transported or enroute to truck or railroad, airway or other carrier direct to Customer. It is agreed that the carrier is to be the purchaser's agent for all purposes. Therefore, Customer must file claims for loss or damage directly with the carrier. Seller's responsibility ceases upon delivery, in good order, to the carrier. No returns will be accepted on special or custom built equipment or parts, or on equipment or parts older than ninety (90) days from the original date of shipment. All returns must be in new and unused condition. Written permission must be obtained from Seller before returning any Products, and any Products returned without such written authorization will be refused as "Returned Shipment Unauthorized." All returned Products are subject to a 20% restocking fee.

**VIII. FAIR LABOR STANDARDS ACT:** Seller certifies that all Products covered by this order have been manufactured in compliance with the Fair Labor Standards Act, as amended, and all other applicable government laws and regulations.

**IX. EQUAL OPPORTUNITY/AFFIRMATIVE ACTION CLAUSES:** Seller certifies it is in compliance with Readjustment Assistance Act of 1974, as amended (38 USC 4212) and Section 503 of Rehabilitation Act of 1973, as amended.

**X. PRICE CHANGES:** Seller reserves the right to raise the prices set forth herein in connection with its adoption of a new price schedule or modification of an existing price schedule, provided such increase is generally applicable to Products of the kind covered hereby. Such revised prices shall be applicable hereunder on all shipments made on and after the effective date of the price change. Customer may upon receipt of notice of increase in prices of Products covered hereby, cancel that part of the order scheduled to be shipped within 4 weeks after the price notification and which will be subject to such increased prices, by written notice to Seller given within 7 days after its receipt of such notice.

**XI. CREDIT AND TERMS:** All prices are stated in and shall be payable in U.S. dollars. If domestic Customer's credit has been approved by Seller's credit department, terms of sale are 30% down, net 30 days from the date of invoice except where different terms are stated on the face hereof. If Customer's credit has not been so approved it will be required to make payment in advance, by wire transfer to Seller's account. If Customer is new, credit approval will be expedited if Customer promptly submits the names, address and phone numbers of at least three trade references and the name, address and phone numbers of Customer's bank. All International Customer accounts must be paid in full prior to shipment of Products.

**XII. INFRINGEMENT:** Seller at its own expense will defend and hold Customer harmless from and against all damages, costs and expenses arising from any valid claim of infringement of any patent, trademark registered design or other intellectual property rights caused by the Products originally manufactured by Seller, provided Customer (a) has not modified such Products, (b) gives Seller immediate notice in writing of a claim or institution or threat of suit, and (c) permits Seller to defend or settle the same, and gives all immediate information, assistance and authority to enable Seller to do so.

**XIII. F.O.B. OR EX-WORKS:** F.O.B. ALAMO, TN, UNLESS OTHERWISE STATED ON FACE OF DOCUMENT.

**XIV. WORK BY OTHERS; ACCESSORIES AND SAFETY DEVICES:** Unless otherwise agreed in writing, Seller has no responsibility for labor or work of any nature relating to the operation, use or installation of the Products, all which will be performed by Customer or others. It is the responsibility of Customer to furnish such accessory and safety devices as may be desired by it and/or required by law. Customer shall require its employees to use all safety devices, guards and proper and safe operating procedures to the extent set forth in operator and machine manuals and instruction sheets furnished by Seller. Customer is responsible for consulting any such manuals and instruction sheets, applicable OSHA regulations and other applicable sources.

**XV. GENERAL:** (a) No modification or waiver of this agreement or any of its provisions is valid unless expressly agreed to by Seller in writing, and no waiver by Seller of any default under this agreement is a waiver of any other subsequent default; (b) no agreement is formed hereunder unless Customer's order is accepted by Seller in writing; (c) the unenforceability or invalidity of one or more of the provisions of this agreement will not affect the enforceability or validity of any other provision of this agreement; (d) THE COMPLETE AGREEMENT BETWEEN SELLER AND CUSTOMER IS CONTAINED HEREIN AND NO ADDITIONAL OR DIFFERENT TERMS OR CONDITIONS STATED BY CUSTOMER SHALL BE BINDING UNLESS AGREED TO BY SELLER IN WRITING; (e) no course of dealing, usage of trade or course of performance will be relevant to supplement or explain any terms used in this agreement; (f) Customer may not assign any of its rights, duties or obligations under this Agreement without Seller's prior written consent and any attempted assignment without such consent, even if by operation of law, will be void; (g) this agreement is governed by and shall be construed in accordance with the internal laws of the State of Tennessee, including the Uniform Commercial Code as enacted by such state; provided, however, that the rights and obligations of the parties hereunder shall not be governed by the provisions of the 1980 United Nations Convention on Contracts for the International Sale of Goods; and (h) all export shipments hereunder are subject to compliance with the Export Administration Act, as amended, and the regulations thereunder, and all other U.S. laws and regulations concerning exports. Customer agrees to comply with all such laws and regulations concerning use, disposition and sale of the Products. Southern Pride Distributing's management reserves the right to make final decisions on all order related policies and/or cancellation/change fees and/or waivers. Final determination of the decision rests with an officer of Southern Pride Distributing or the President of the Company.