

Stationary Rack Electric Smokers (120/208v or 120/240v)



SC-200.....\$ 8,690
16.25 ft² cooking surface



DH-65.....\$ 9,565
Capacity-65 sides of Ribs

Stationary Rack Gas Smoker (Natural or LP)



SRG-400.....\$ 14,945
45.5 ft² cooking surface
Additional rack configurations available

Rotisserie Gas Smokers (Natural or LP)



MLR-150.....\$ 13,505
18.5 ft² cooking surface



SPX - 300.....\$ 17,390
30 ft² cooking surface



SPK - 500.....\$ 20,230
52.5 ft² cooking surface



SP - 700 (12").....\$ 26,360
72 ft² cooking surface
SP - 700 (18").....\$ 27,560
72 ft² cooking surface



MLR - 850.....\$ 25,160
55 ft² cooking surface



SPK - 1000.....\$ 28,910
63 ft² cooking surface



SPK - 1400 (12")..\$ 32,770
105 ft² cooking surface
AVAILABLE UNTIL 1/1/19
SPK - 1400 (18")..\$ 34,487
105 ft² cooking surface
SPK - 1400 (18")..\$ 34,799
131.25 ft² cooking surface

All prices are in U.S. dollars and exclude any applicable duties, taxes, or freight.

For more information on Southern Pride smokers, including specification sheets and Owner's Manuals, visit:
www.southernpride.com

Southern Pride smokers sold in the United States and Canada are ETL listed, commercial cooking appliances whose installation, operation, and maintenance should comply with the instructions in the Owner's Manual, NFPA® 96 and other codes and standards as called out in the Owner's Manual.

For a list of ETL approved smokers go to www.intertek.com/directories, click on ETL Listed Mark Directory and search "Southern Pride."

For more information on NFPA® 96, or to obtain a copy of the latest publication, please contact:



NFPA®
1 Batterymarch Park
PO Box 9101
Quincy, MA 02169-7471
www.nfpa.org



Model: SC-200

ON THE PURCHASE ORDER THE VOLTAGE (120/208 OR 120/240) MUST BE SPECIFIED.

SC-200 Stainless Steel Interior and Exterior Stationary Rack Smoker..... \$ 8,690

STANDARD FEATURES:

- Control - Programmable digital cook and hold control (80° to 325°F)(27° to 163°C)
- Rack slides - (5) rack slides, 5" (127mm) spacing
- Product racks - (5) 18" x 26" (457 x 660mm) nickel chrome plated
- Heat source - 4,500 watt main heating element
- Dual woodchip boxes

OPTIONAL FEATURES (Price based on purchase with smoker):

Right hand door hinge 292062	\$	215
Internal meat probe system 435019.....	\$	418
Stainless steel product rack upgrade, (5) 18" x 26"(457 x 660mm)(substitution of standard chrome racks) 971016	\$	346
-OR-		
(5) stainless chrome vertical rib racks (substitution of standard chrome racks) 972011	\$	351
-OR-		
(5) stainless steel vertical rib racks (substitution of standard chrome racks) 972513.....	\$	971
-OR-		
Low profile rack system, (9) 18" x 26"(457 x 660mm)(substitution of standard 5 rack system) 976052	\$	679

ADDITIONAL PRODUCT RACKS (price each):

Product rack 18" x 26" (457 x 660mm) nickel chrome plated 970002	\$	27
Product rack 18" x 26" (457 x 660mm) stainless steel 971001.....	\$	96
Rib rack (13 ribs per rack) nickel chrome plated 972003.....	\$	97
Rib rack (13 ribs per rack) stainless steel 972502	\$	221

SHIPPING (See Shipping Information and Options, page 16, for shipping options)Call for Quote

Common carrier shipping weight (base model) - 350 lbs (159kg)		
Crated dimensions (base model) - 65"h x 50"w x 28"d (1651 x 1270 x 711mm), Class 110		
Lift gate fee for common carrier delivery	(net charge)\$	54

All prices are in U.S. dollars and exclude any applicable duties, taxes, or freight.

Model: DH-65

ON THE PURCHASE ORDER THE VOLTAGE (120/208 OR 120/240) MUST BE SPECIFIED.

DH-65 Stainless Steel Interior and Exterior Stationary Rack Smoker..... \$ 9,565

STANDARD FEATURES:

- Control - Programmable digital control with preset menu selection (80° to 325°F)(27° to 163°C)
- Rack slides - (5) rack slides, 5" (127mm) spacing
- Product racks - (5) nickel chrome plated vertical rib racks, each holds 13 slabs of ribs
- Heat source - 4,500 watt main heating element
- Single woodchip box
- Steam element with steam pan

OPTIONAL FEATURES (Price based on purchase with smoker):

Right hand door hinge 292063. \$ 215
Stainless steel rib rack upgrade, (5) vertical rib racks (substitution of standard chrome racks) 972514 \$ 621

ADDITIONAL PRODUCT RACKS (price each):

Rib rack (13 ribs per rack) nickel chrome plated 972003..... \$ 97
Rib rack (13 ribs per rack) stainless steel 972502 \$ 221

SHIPPING (See Shipping Information and Options, page 16, for shipping options)Call for Quote

Common carrier shipping weight (base model) - 410 lbs (186kg)
Crated dimensions (base model) - 65"h x 50"w x 28"d (1651 x 1270 x 711mm), Class 110
Lift gate fee for common carrier delivery (net charge)\$ 54

All prices are in U.S. dollars and exclude any applicable duties, taxes, or freight.

Model: SRG-400

120 volt AC, 60 hertz, 1-phase

ON THE PURCHASE ORDER THE GAS TYPE (NATURAL OR LP) MUST BE SPECIFIED.

SRG-400 Stainless Steel Interior and Exterior Stationary Rack Smoker \$ 14,945

STANDARD FEATURES:

- Control - Programmable digital cook and hold control with preset menu selection (140° to 325°F)(60° to 163°C)
- Rack slides - (27) rack slides, 1 1/2" (38mm) spacing
- Product racks - (14) 18" x 26" (457 x 660mm) nickel chrome plated
- Heat source - 65,000 BTU (19KW) burner with electronic pilot

OPTIONAL FEATURES (Price based on purchase with smoker):

Glass product display door upgrade	\$ 457
Trailer mount legs (required for trailer mounting to customer supplied trailer)	\$ 278
Stainless steel product rack upgrade, (14) 18" x 26"(457 x 660mm)(substitution of standard chrome racks) 971026	\$ 966
-OR-	
(7) nickel chrome vertical rib racks (substitution of standard chrome racks) 972012	\$ 301
-OR-	
(7) stainless steel vertical rib racks (substitution of standard chrome racks) 972515.....	\$ 1,169

ACCESSORIES (See Gas Smoker Accessories, page 13, for accessory descriptions):

Drain pan with hose for cleaning 912022	\$ 307
---	--------

ADDITIONAL PRODUCT RACKS (price each):

Product rack 18" x 26" (457 x 660mm) nickel chrome plated 970002	\$ 27
Product rack 18" x 26" (457 x 660mm) stainless steel 971001.....	\$ 96
Rib rack (13 ribs per rack) nickel chrome plated 972003.....	\$ 97
Rib rack (13 ribs per rack) stainless steel 972502	\$ 221

SHIPPING (See Shipping Information and Options, page 16, for shipping options)Call for Quote

Common carrier shipping weight (base model) - 1,005 lbs (456kg)	
Crated dimensions (base model) - 87"h x 48"w x 57"d (2210 x 1219 x 1448mm), Class 100	
Industrial cardboard carton and pallet packaging required for common carrier delivery	(net charge)\$ 378
Lift gate fee for common carrier delivery	(net charge)\$ 54

Southern Pride is prohibited from providing factory installation of smokers on customer supplied trailers.

All prices are in U.S. dollars and exclude any applicable duties, taxes, or freight.

Model: MLR-150

120 volt AC, 60 hertz, 1-phase

ON THE PURCHASE ORDER THE GAS TYPE (NATURAL OR LP) AND FLUE LOCATION (FRONT OR REAR) MUST BE SPECIFIED.

MLR-150 Stainless Steel Interior and Exterior Rotisserie Smoker \$ 13,505

STANDARD FEATURES:

- Control - Digital thermostat (allows for cook temperature selection only, 140° to 325°F (60° to 163°C))
- Rack hangers - (4) 3-tier, 2 1/2" (64mm) spacing, hanger assemblies
- Product racks - (12) 10" x 22" (254 x 559mm) nickel chrome plated
- Heat source - 65,000 BTU (19KW) burner with electronic pilot

OPTIONAL FEATURES (Price based on purchase with smoker):

Programmable digital cook and hold control (140° to 325°F)(60° to 163°C).....	\$ 740
Mirror image (left side - firebox and drain; right side - drive system and service bay, product loading door hinges).....	\$ 714
Glass product display door upgrade	\$ 457
Working height locking casters.....	\$ 290
Trailer mount legs (required for trailer mounting to customer supplied trailer)	\$ 278
Stainless steel product rack upgrade, (12) 10" x 22"(254 x 559mm)(substitution of standard chrome racks) 971014.....	\$ 129

ACCESSORIES (See Gas Smoker Accessories, page 13, for accessory descriptions):

Smoke extractor damper 593004	\$ 1,323
Mobile evacuation system 597067	\$ 2,202
MLR series VSP eyebrow hood system (see VSP Series, page 15, for standard features and options) 597064	\$ 6,567
Product shelf 993011.....	\$ 304
Lockable control panel cover 291017	\$ 308
Delivery casters (set of 4)	\$ 265
Through the wall insulation kit (without VSP eyebrow hood system) 087002.....	\$ 179
Through the wall stainless steel trim kit (without VSP eyebrow hood system)	\$ 347
Drain pan with hose for cleaning 912021	\$ 328
Competition package	\$ 641
Mobile rack retainer pins and clips.....	\$ 96
MLR-150 rail trailer (see Rail Trailer Packages and Options, page 14, for standard features and options)	\$ 3,740

ADDITIONAL PRODUCT RACKS (price each):

Product rack 10" x 22" (254 x 559mm) nickel chrome plated 970021	\$ 27
Product rack 10" x 22" (254 x 559mm) stainless steel 971013.....	\$ 37
Modular stainless steel rib rack (holds 4 slabs vertically, or inverts to hold 1 ham) (smoker can hold 8) 972512	\$ 41

SHIPPING (See Shipping Information and Options, page 16, for shipping options)Call for Quote

Common carrier shipping weight (base model) - 875 lbs (397kg)	
Crated dimensions (base model) - 83"h x 54"w x 83"d (2108 x 1372 x 2108mm), Class 100	
Industrial cardboard carton and pallet packaging required for common carrier delivery	(net charge)\$ 378

Southern Pride is prohibited from providing factory installation of smokers on customer supplied trailers.

All prices are in U.S. dollars and exclude any applicable duties, taxes, or freight.

Model: SPX-300

120 volt AC, 60 hertz, 1-phase

ON THE PURCHASE ORDER THE GAS TYPE (NATURAL OR LP) AND FLUE LOCATION (FRONT OR REAR) MUST BE SPECIFIED.

SPX-300 Stainless Steel Interior and Exterior Rotisserie Smoker..... \$ 17,390

STANDARD FEATURES:

- Control - Digital thermostat (allows for cook temperature selection only, 140° to 325°F (60° to 163°C))
- Rack hangers - (4) 3-tier, 3 1/2" (89mm) spacing, hanger assemblies
- Product racks - (12) 12" x 30" (305 x 762mm) nickel chrome plated
- Heat source - 75,000 BTU (22KW) burner with electronic pilot

OPTIONAL FEATURES (Price based on purchase with smoker):

Programmable digital cook and hold control (140° to 325°F)(60° to 163°C).....	\$ 740
Mirror image (left side - firebox and drain; right side - drive system and service bay).....	\$ 714
Glass product display doors upgrade 292058.....	\$ 914
Working height locking casters 297097.....	\$ 290
Trailer mount legs (required for trailer mounting to customer supplied trailer).....	\$ 278
Stainless steel product rack upgrade, (12) 12" x 30"(305 x 762mm)(substitution of standard chrome racks) 971017.....	\$ 789

ACCESSORIES (See Gas Smoker Accessories, page 13, for accessory descriptions):

Smoke extractor damper 593004.....	\$ 1,323
Mobile evacuation system 597067.....	\$ 2,202
SPX series VSP eyebrow hood system (see VSP Series, page 15, for standard features and options) 597011.....	\$ 6,643
Product shelf 993012.....	\$ 304
Lockable control panel cover 291017.....	\$ 308
Delivery casters (set of 4).....	\$ 265
Through the wall insulation kit (without VSP eyebrow hood system) 087003.....	\$ 213
Through the wall stainless steel trim kit (without VSP eyebrow hood system).....	\$ 347
Drain pan with hose for cleaning 912021.....	\$ 328
Mobile rack retainer pins and clips.....	\$ 119
SPX-300 rail trailer (see Rail Trailer Packages and Options, page 14, for standard features and options).....	\$ 3,751

ADDITIONAL PRODUCT RACKS (price each):

Product rack 12" x 30" (305 x 762mm) nickel chrome plated 970011.....	\$ 33
Product rack 12" x 30" (305 x 762mm) stainless steel 971006.....	\$ 129
Modular stainless steel rib rack (holds 5 slabs vertically, or inverts to hold 1 ham) (smoker can hold 8) 972511.....	\$ 41

SHIPPING (See Shipping Information and Options, page 16, for shipping options).....Call for Quote

Common carrier shipping weight (base model) - 1,150 lbs (522kg)	
Crated dimensions (base model) - 82"h x 67"w x 90"d (2083 x 1702 x 2286mm), Class 100	
Industrial cardboard carton and pallet packaging required for common carrier delivery..... (net charge)\$	558

Southern Pride is prohibited from providing factory installation of smokers on customer supplied trailers.

All prices are in U.S. dollars and exclude any applicable duties, taxes, or freight.

Model: SPK-500

120 volt AC, 60 hertz, 1-phase

ON THE PURCHASE ORDER THE GAS TYPE (NATURAL OR LP) AND FLUE LOCATION (FRONT OR REAR) MUST BE SPECIFIED.

SPK-500 Stainless Steel Interior and Exterior Rotisserie Smoker..... \$ 20,230

STANDARD FEATURES:

- Control - Digital thermostat (allows for cook temperature selection only, 140° to 325°F (60° to 163°C))
- Rack hangers - (5) 3-tier, 3 1/2" (89mm) spacing, hanger assemblies
- Product racks - (15) 12" x 42" (305 x 1067mm) nickel chrome plated
- Heat source - 75,000 BTU (22KW) burner with electronic pilot

OPTIONAL FEATURES (Price based on purchase with smoker):

Programmable digital cook and hold control (140° to 325°F)(60° to 163°C).....	\$ 740
Mirror image (left side - firebox and drain; right side - drive system and service bay).....	\$ 714
Glass product display doors upgrade 292057.....	\$ 914
Working height locking casters 297097.....	\$ 290
Trailer mount legs (required for trailer mounting to customer supplied trailer).....	\$ 278
Stainless steel product rack upgrade, (15) 12" x 42"(305 x 1067mm)(substitution of standard chrome racks) 971018...\$	1,058

ACCESSORIES (See Gas Smoker Accessories, page 13, for accessory descriptions):

Smoke extractor damper 593004.....	\$ 1,323
Mobile evacuation system 597067.....	\$ 2,202
SPK series VSP eyebrow hood system (see VSP Series, page 15,for standard features and options) 597012.....	\$ 6,844
Product shelf 993002.....	\$ 304
Lockable control panel cover 291017.....	\$ 308
Delivery casters (set of 4).....	\$ 265
Through the wall insulation kit (without VSP eyebrow hood system) 087005.....	\$ 249
Through the wall stainless steel trim kit (without VSP eyebrow hood system).....	\$ 347
Drain pan with hose for cleaning 912021.....	\$ 328
Mobile rack retainer pins and clips.....	\$ 119
SPK-500 rail trailer (see Rail Trailer Packages and Options, page 14, for standard features and options).....	\$ 4,004

ADDITIONAL PRODUCT RACKS (price each):

Product rack 12" x 42" (305 x 1067mm) nickel chrome plated 970017.....	\$ 38
Product rack 12" x 42" (305 x 1067mm) stainless steel 971010.....	\$ 166
Modular stainless steel rib rack (holds 5 slabs vertically, or inverts to hold 1 ham) (smoker can hold 20) 972511.....	\$ 41

SHIPPING (See Shipping Information and Options, page 16, for shipping options)Call for Quote

Common carrier shipping weight (base model) - 1,480 lbs (671kg)	
Crated dimensions (base model) - 84"h x 80"w x 92"d (2134 x 2032 x 2337mm), Class 100	
Industrial cardboard carton and pallet packaging required for common carrier delivery..... (net charge)\$	558

Southern Pride is prohibited from providing factory installation of smokers on customer supplied trailers.

All prices are in U.S. dollars and exclude any applicable duties, taxes, or freight.

Model: SP-700

120 volt AC, 60 hertz, 1-phase

ON THE PURCHASE ORDER THE GAS TYPE (NATURAL OR LP) AND FLUE LOCATION (FRONT OR REAR) MUST BE SPECIFIED.

SP-700 Stainless Steel Interior and Exterior Rotisserie Smoker \$ 26,360

STANDARD FEATURES:

- Control - Digital thermostat (allows for cook temperature selection only, 140° to 325°F (60° to 163°C))
- Rack hangers - (6) 3-tier, 3 1/2" (89mm) spacing, hanger assemblies
- Product racks - (18) 12" x 48" (305 x 1219mm) nickel chrome plated
- Heat source - 150,000 BTU (44KW) burner with electronic pilot

OPTIONAL FEATURES (Price based on purchase with smoker):

Programmable digital cook and hold control (140° to 325°F)(60° to 163°C).....	\$ 740
Mirror image (left side - firebox and drain; right side - drive system and service bay).....	\$ 714
Glass product display doors upgrade.....	\$ 914
Working height locking casters.....	\$ 290
Trailer mount legs (required for trailer mounting to customer supplied trailer).....	\$ 278
Stainless steel product rack upgrade, (18) 12" x 48"(305 x 1219mm)(substitution of standard chrome racks) 971019 ...	\$ 2,505

-OR-

18" rack system - (12) 18"x 48" product racks on 4 - 3 tier rack hangers with 4 1/2" rack spacing.....	\$ 1,200
457mm rack system - (12) 457 x 1219mm product racks on 4 - 3 tier rack hangers with 114mm rack spacing	
Stainless steel product rack upgrade, (12) 18" x 48"(457 x 1219mm)(substitution of standard chrome racks).....	\$ 1,765

ACCESSORIES (See Gas Smoker Accessories, page 13, for accessory descriptions):

Smoke extractor damper 593004.....	\$ 1,323
Mobile evacuation system 597067.....	\$ 2,202
SP series VSP eyebrow hood system (see VSP Series, page 15, for standard features and options) 597068.....	\$ 6,869
Product shelf 993013.....	\$ 304
Lockable control panel cover 291017.....	\$ 308
Delivery casters (set of 4).....	\$ 265
Through the wall insulation kit (without VSP eyebrow hood system) 087004.....	\$ 285
Through the wall stainless steel trim kit (without VSP eyebrow hood system).....	\$ 485
Drain pan with hose for cleaning 912021.....	\$ 328
Mobile rack retainer pins and clips (12" rack system).....	\$ 144
Mobile rack retainer pins and clips (18" rack system).....	\$ 102
SP-700 rail trailer (see Rail Trailer Packages and Options, page 14, for standard features and options).....	\$ 4,329

ADDITIONAL PRODUCT RACKS (price each):

Product rack 12" x 48" (305 x 1219mm) nickel chrome plated 970014.....	\$ 49
Product rack 12" x 48" (305 x 1219mm) stainless steel 971008.....	\$ 223
Product rack 18" x 48" (457 x 1219mm) nickel chrome plated 970013.....	\$ 115
Product rack 18" x 48" (457 x 1219mm) stainless steel 971007.....	\$ 262
Modular stainless steel rib rack (holds 5 slabs vertically, or inverts to hold 1 ham) (smoker can hold 36) 972511.....	\$ 41

SHIPPING (See Shipping Information and Options, page 16, for shipping options) Call for Quote

Common carrier shipping weight (base model) - 2,000 lbs (907kg)	
Crated dimensions (base model) - 87"h x 81"w x 106"d (2210 x 2057 x 2692mm), Class 100	
Industrial cardboard carton and pallet packaging required for common carrier delivery..... (net charge)\$	623

Southern Pride is prohibited from providing factory installation of smokers on customer supplied trailers.

All prices are in U.S. dollars and exclude any applicable duties, taxes, or freight.

Model: MLR-850

120 volt AC, 60 hertz, 1-phase

ON THE PURCHASE ORDER THE GAS TYPE (NATURAL OR LP) AND FLUE LOCATION (FRONT OR REAR) MUST BE SPECIFIED.

MLR-850 Stainless Steel Interior and Exterior Rotisserie Smoker \$ 25,160

STANDARD FEATURES:

- Control - Digital thermostat (allows for cook temperature selection only, 140° to 325°F (60° to 163°C))
- Rack hangers - (4) 5-tier, 3 1/2" (89mm) spacing, hanger assemblies
- Product racks - (20) 18" x 22" (457 x 559mm) nickel chrome plated
- Heat source - 125,000 BTU (37KW) burner with electronic pilot

OPTIONAL FEATURES (Price based on purchase with smoker):

Programmable digital cook and hold control (140° to 325°F)(60° to 163°C).....	\$ 740
Mirror image (left side - firebox and drain; right side - drive system and service bay, product loading door hinges).....	\$ 714
Glass product display door upgrade	\$ 457
Trailer mount legs (required for trailer mounting to customer supplied trailer)	\$ 278
Stainless steel product rack upgrade, (20) 18" x 22"(457 x 559mm)(substitution of standard chrome racks) 971025	\$ 1,721

ACCESSORIES (See Gas Smoker Accessories, page 13, for accessory descriptions):

Smoke extractor damper 593004	\$ 1,323
Mobile evacuation system 597067	\$ 2,202
MLR series VSP eyebrow hood system (see VSP Series, page 15, for standard features and options) 597064	\$ 6,567
Product shelf 993011	\$ 304
Lockable control panel cover 291017	\$ 308
Delivery casters / working height locking casters (set of 4).....	\$ 265
Through the wall insulation kit (without VSP eyebrow hood system) 087003.....	\$ 213
Through the wall stainless steel trim kit (without VSP eyebrow hood system)	\$ 399
Mobile rack retainer pins and clips.....	\$ 96

ADDITIONAL PRODUCT RACKS (price each):

Product rack 18" x 22" (457 x 559mm) nickel chrome plated 970015	\$ 66
Product rack 18" x 22" (457 x 559mm) stainless steel 971009.....	\$ 180
Modular stainless steel rib rack (holds 5 slabs vertically, or inverts to hold 1 ham) (smoker can hold 12) 972511	\$ 41

SHIPPING (See Shipping Information and Options, page 16, for shipping options)Call for Quote

Common carrier shipping weight (base model) - 1,875 lbs (850kg)	
Crated dimensions (base model) - 85"h x 61"w x 110"d (2159 x 1549 x 2794mm), Class 100	
Industrial cardboard carton and pallet packaging required for common carrier delivery	(net charge)\$ 558

Southern Pride is prohibited from providing factory installation of smokers on customer supplied trailers.

All prices are in U.S. dollars and exclude any applicable duties, taxes, or freight.

Model: SPK-1000

120 volt AC, 60 hertz, 1-phase

ON THE PURCHASE ORDER THE GAS TYPE (NATURAL OR LP) AND FLUE LOCATION (FRONT OR REAR) MUST BE SPECIFIED.

SPK-1000 Stainless Steel Interior and Exterior Rotisserie Smoker..... \$ 28,910

STANDARD FEATURES:

- Control - Digital thermostat (allows for cook temperature selection only, 140° to 325°F (60° to 163°C))
- Rack hangers - (4) 3-tier, 4 1/2" (114mm) spacing, hanger assemblies
- Product racks - (12) 18" x 42" (457 x 1067mm) nickel chrome plated
- Heat source - 150,000 BTU (44KW) burner with electronic pilot

OPTIONAL FEATURES (Price based on purchase with smoker):

Programmable digital cook and hold control (140° to 325°F)(60° to 163°C).....	\$ 740
Mirror image (left side - firebox and drain; right side - drive system and service bay).....	\$ 714
Glass product display doors upgrade.....	\$ 914
Working height locking casters.....	\$ 290
Trailer mount legs (required for trailer mounting to customer supplied trailer).....	\$ 278
Stainless steel product rack upgrade, (12) 18" x 42"(457 x 1067mm)(substitution of standard chrome racks) 971020 ...	\$ 1,583

ACCESSORIES (See Gas Smoker Accessories, page 13, for accessory descriptions):

Smoke extractor damper 593004	\$ 1,323
Mobile evacuation system 597067	\$ 2,202
SPK series VSP eyebrow hood system (see VSP Series, page 15, for standard features and options) 597012	\$ 6,844
Product shelf 993002.....	\$ 304
Lockable control panel cover 291017	\$ 308
Delivery casters (set of 4)	\$ 265
Through the wall insulation kit (without VSP eyebrow hood system) 087004.....	\$ 285
Through the wall stainless steel trim kit (without VSP eyebrow hood system)	\$ 485
Drain pan with hose for cleaning 912021	\$ 328
Mobile rack retainer pins and clips.....	\$ 96

ADDITIONAL PRODUCT RACKS (price each):

Product rack 18" x 42" (457 x 1067mm) nickel chrome plated 970020	\$ 87
Product rack 18" x 42" (457 x 1067mm) stainless steel 971011.....	\$ 229
Modular stainless steel rib rack (holds 5 slabs vertically, or inverts to hold 1 ham) (smoker can hold 24) 972511	\$ 41

SHIPPING (See Shipping Information and Options, page 16, for shipping options)Call for Quote

Common carrier shipping weight (base model) - 2,530 lbs (1148kg)	
Crated dimensions (base model) - 87"h x 81"w x 106"d (2210 x 2057 x 2692mm), Class 100	
Industrial cardboard carton and pallet packaging required for common carrier delivery	(net charge)\$ 623

Southern Pride is prohibited from providing factory installation of smokers on customer supplied trailers.

All prices are in U.S. dollars and exclude any applicable duties, taxes, or freight.

Model: SPK-1400

120 volt AC, 60 hertz, 1-phase

ON THE PURCHASE ORDER THE GAS TYPE (NATURAL OR LP) AND FLUE LOCATION (FRONT OR REAR) MUST BE SPECIFIED.

SPK-1400 Stainless Steel Interior and Exterior Rotisserie Smoker..... \$ 32,770

STANDARD FEATURES:

- Control - Digital thermostat (allows for cook temperature selection only, 140° to 325°F (60° to 163°C))
- Rack hangers - (6) 5-tier, 3 1/2" (89mm) spacing, hanger assemblies
- Product racks - (30) 12" x 42" (305 x 1067mm) nickel chrome plated
- Heat source - 150,000 BTU (44KW) burner with electronic pilot

OPTIONAL FEATURES (Price based on purchase with smoker):

Programmable digital cook and hold control (140° to 325°F)(60° to 163°C).....	\$ 740
Mirror image (left side - firebox and drain; right side - gear motor, burner and utility connections).....	\$ 714
Glass product display doors upgrade.....	\$ 914
Trailer mount legs (required for trailer mounting to customer supplied trailer)	\$ 278
Stainless steel product rack upgrade, (30) 12" x 42"(305 x 1067mm)(substitution of standard chrome racks) 971022 ...	\$ 2,768

-OR-

18" rack system - (25) 18"x 42" product racks on 5 - 5 tier rack hangers with 3 1/2" rack spacing 994019	\$ 2,029
457mm rack system - (25) 457 x 1067mm product racks on 5 - 5 tier rack hangers with 89mm rack spacing	
Stainless steel product rack upgrade, (25) 18" x 42"(457 x 1067mm)(substitution of standard chrome racks) 971023 ...	\$ 3,365

-OR-

18" rack system - (20) 18"x 42" product racks on 5 - 4 tier rack hangers with 4 11/16" rack spacing 994020	\$ 1,717
457mm rack system - (20) 457 x 1067mm product racks on 5 - 4 tier rack hangers with 119mm spacing	
Stainless steel product rack upgrade, (20) 18" x 42"(457 x 1067mm)(substitution of standard chrome racks) 971024 ...	\$ 2,692

ACCESSORIES (See Gas Smoker Accessories, page 13, for accessory descriptions):

Smoke extractor damper 593004	\$ 1,323
Mobile evacuation system 597067	\$ 2,202
SPK series VSP eyebrow hood system (see VSP Series, page 15, for standard features and options) 597012	\$ 6,844
Product shelf 993002	\$ 304
Lockable control panel cover 291017	\$ 308
Delivery casters / working height locking casters (set of 4).....	\$ 265
Through the wall insulation kit (without VSP eyebrow hood system) 087006.....	\$ 320
Through the wall stainless steel trim kit (without VSP eyebrow hood system)	\$ 485
Mobile rack retainer pins and clips (12" rack system)	\$ 144
Mobile rack retainer pins and clips (18" rack system).....	\$ 124

ADDITIONAL PRODUCT RACKS (price each):

Product rack 12" x 42" (305 x 1067mm) nickel chrome plated 970017	\$ 38
Product rack 12" x 42" (305 x 1067mm) stainless steel 971010.....	\$ 166
Product rack 18" x 42" (457 x 1067mm) nickel chrome plated 970020	\$ 87
Product rack 18" x 42" (457 x 1067mm) stainless steel 971011.....	\$ 229
Modular stainless steel rib rack (holds 5 slabs vertically, or inverts to hold 1 ham) (smoker can hold 36) 972511	\$ 41

SHIPPING (See Shipping Information and Options, page 16, for shipping options)Call for Quote

Shipping weight (base model) - 2,400 lbs (1089kg), Common carrier delivery NOT available.

Southern Pride is prohibited from providing factory installation of smokers on customer supplied trailers.

All prices are in U.S. dollars and exclude any applicable duties, taxes, or freight.

401 South Mill Street , Alamo, Tennessee 38001 • 731-696-3175 • www.southernpride.com

Page 12 of 18

Copyright 2018 by Southern Pride Distributing, LLC

Gas Smoker Accessories

Refer to model pages for availability.

Drain pan with hose for cleaning - Full size, 6" (152mm) deep polycarbonate pan with a 1" ID ball valve and 10' (3048mm) of hose. The pan is placed under the drain on the smoker and the hose is ran to the grease trap, or to floor drain that runs to a grease trap. This allows the smoker to be cleaned and the dirty water and cleaning solutions to run to the grease trap. **This is only used for cleaning and should not be used to capture hot grease.**

Smoke extractor damper - Stainless steel motorized damper that activates when the product door is opened, or when the down arrow is pressed (optional cook and hold control only). The smoke extractor damper works in conjunction with the roof exhaust fan (**not provided**) to pull the smoke out of the smoker as the product doors are being opened.

Mobile evacuation system - The system consists of a single speed exhaust fan and adaptor mount for connection to a smoke extractor damper (**not included**). This system allows for a smoke extractor damper and roof fan to be used on a mobile application where a roof is not present to mount the exhaust fan.

Product shelf - 12" (305mm) deep stainless steel shelf on the front of the smoker, below the control panel, that allows product or utensils to be placed for easier loading and unloading.

Lockable control panel cover - Stainless steel sides with a Plexiglas front and a locking mechanism that allows the cover to be locked to prevent tampering with the control.

Delivery casters - 6" (152mm) casters are inserted in place of the smoker's permanent legs and are used to lower the smoker and allow for easier maneuvering during shipping and installation.

Through the wall insulation kit - When installing a smoker through a wall of combustible material an insulation kit must be used. The non combustible ceramic fiber board must be installed between the smoker and the combustible material. The kit consists of 1" (25mm) thick, 8" (203mm) wide, boards that are installed on the top and each side of the smoker.

Through the wall trim kit - A stainless steel trim kit that covers the gap between the smoker and the wall on all four sides of the smoker. The trim kit is only for one side of the building; two can be used for the interior and exterior of the building.

Competition package - The package consists of a moisture infusion system, gas cut-off switch and charcoal firebox insert. The moisture infusion system is a 3 gallon (11 liter) plastic container that attaches to the back of the smoker and uses a gravity drip system to drip liquid onto the top of the firebox and produce steam. **Only non-flammable liquid should be used.** The gas cut-off switch shuts the gas off to the burner, but still allows the burner blower motor to run and stoke the fire in the firebox. The charcoal firebox insert is a mild steel vented container that allows charcoal to be placed in the firebox.

Mobile rack retainer pins and clips - Stainless steel pins and clips are inserted through the each side of the product rack hangers and product racks and hold the product racks in place during transit.

All prices are in U.S. dollars and exclude any applicable duties, taxes, or freight.

401 South Mill Street , Alamo, Tennessee 38001 • 731-696-3175 • www.southernpride.com

Page 13 of 18

Copyright 2018 by Southern Pride Distributing, LLC

Rail Trailer Packages and Options

TRAILERS ARE ONLY AVAILABLE WITH THE PURCHASE OF A SOUTHERN PRIDE SMOKER.

MLR-150 Rail Trailer Package..... \$ 3,740

SHIPPING (See Shipping Information and Options, page 16, for shipping options)Call for Quote

Common carrier shipping weight (base model) - 1,600 lbs (726kg)

Crated dimensions - 89”h x 68”w x 140”d (2261 x 1727 x 3556mm), Class 200

Industrial cardboard carton and pallet packaging required for common carrier delivery (net charge)\$ 623

SPX-300 Rail Trailer Package \$ 3,751

SHIPPING (See Shipping Information and Options, page 16, for shipping options)Call for Quote

Common carrier shipping weight (base model) - 1,800 lbs (816kg)

Crated dimensions - 89”h x 68”w x 140”d (2261 x 1727 x 3556mm), Class 200

Industrial cardboard carton and pallet packaging required for common carrier delivery (net charge)\$ 623

SPK-500 Rail Trailer Package \$ 4,004

SHIPPING (See Shipping Information and Options, page 16, for shipping options)Call for Quote

Common carrier shipping weight (base model) - 2,150 lbs (975kg)

Crated dimensions - 95”h x 84”w x 146”d (2413 x 2134 x 3708mm), Class 200

Industrial cardboard carton and pallet packaging required for common carrier delivery (net charge)\$ 727

SP-700 Rail Trailer Package \$ 4,329

SHIPPING (See Shipping Information and Options, page 16, for shipping options)Call for Quote

Shipping weight (base model) - 2,700 lbs (1225kg), Common carrier delivery NOT available.

STANDARD FEATURES:

- Black paint
- 15” chrome 5-spoke wheels and radial tires with spare
- Dual 40lb LP tank assembly (in open stainless steel box).
Single 100lb LP tank on SP-700.

OPTIONAL FEATURES (Price based on purchase with trailer):

Red paint upgrade..... \$ 361

15” aluminum 5-spoke wheel and radial tire upgrade. \$ 515

Side mount swivel caster jack (substitution of A-frame coupler mounted jack)\$ 0



Southern Pride is prohibited from providing factory installation of smokers on customer supplied trailers.

All prices are in U.S. dollars and exclude any applicable duties, taxes, or freight.

401 South Mill Street , Alamo, Tennessee 38001 • 731-696-3175 • www.southernpride.com

Page 14 of 18

Copyright 2018 by Southern Pride Distributing, LLC

VSP Series - Eyebrow Ventilation Hood & Fan System

ON THE PURCHASE ORDER THE DISCHARGE LOCATION (TOP OR REAR) AND ROOF PITCH OF THE CURB MUST BE SPECIFIED.

MLR Series VSP Package \$ **6,567**
VSP hood and filters only \$ 3,784
SHIPPING (net charge)\$ 325
 Common carrier shipping weight: Hood - 200 lbs (91kg), Fan and Curb - 210 lbs (95kg)

SPX Series VSP Package \$ **6,643**
VSP hood and filters only \$ 3,835
SHIPPING (net charge)\$ 325
 Common carrier shipping weight: Hood - 210 lbs (95kg), Fan and Curb - 210 lbs (95kg)

SPK Series VSP Package \$ **6,844**
VSP hood and filters only \$ 4,009
SHIPPING (net charge)\$ 325
 Common carrier shipping weight: Hood - 235 lbs (107kg), Fan and Curb - 210 lbs (95kg)

SP Series VSP Package \$ **6,869**
VSP hood and filters only \$ 4,100
SHIPPING (net charge)\$ 325
 Common carrier shipping weight: Hood - 260 lbs (118kg), Fan and Curb - 210 lbs (95kg)

SPK-1400 Self-Supported Rear Discharge System (Rear Discharge Only) \$ **7,872**
SHIPPING (net charge)\$ 325
 Common carrier shipping weight: Hood - 235 lbs (107kg), Fan and Curb - 260 lbs (118kg)

REQUIRES SMOKER TO BE FRONT FLUE CONFIGURATION.

PLEASE REVIEW THE SMOKER'S OWNER'S MANUAL AND VSP SERIES OWNER'S MANUAL FOR IMPORTANT INSTALLATION AND OPERATING INSTRUCTIONS.

STANDARD FEATURES:

- UL listed and approved for commercial applications with Southern Pride smokers
- VSP hood
- Hood filters
- 2-speed exhaust fan (1/2 hp, 1320cfm/2000cfm)
- Roof curb (flat or pitched)(15° pitched curb on SPK-1400 self-supported system)
- Vented extension
- Hinge kit
- Grease capture trough
- Connection duct between hood and curb assembly (SPK-1400 self supported system only)



OPTIONAL FEATURES:

2-speed exhaust fan (1/2 hp, 1320cfm/2000cfm) 597005 \$ 2,754
 Flat or pitched (must specify pitch) roof curb and vented extension \$ 612
 Larger CFM exhaust fan for excess duct runs or runs with multiple bends/elbows \$ Call for Pricing

All prices are in U.S. dollars and exclude any applicable duties, taxes, or freight.

Shipping Information and Options

Third Party Dedicated Contract Carrier (Curbside Delivery Service)

All smoker deliveries by Third Party Dedicated Contract Carrier to include delivery to specific “ship to” address. Freight charges will be prepaid and added. Smoker(s) will be unloaded at curbside and permanent legs installed.

Delivery charge for one (first) smoker - \$2.00 per one-way loaded mile from Alamo, TN to customer’s last delivery location.

Additional gas smokers - \$0.10 per one-way loaded mile from Alamo, TN to delivery location (limited to trailer capacity).

Additional pallets (VSP hood system, SC-200, or parts) - \$50.00 per pallet (customer must have forklift to unload).

Additional delivery location(s) - \$150.00 each (All deliveries must be made on the same day and be within the maximum daily driving hours allowed by the Department of Transportation).

Minimum delivery charge is \$300.00.

Customer is responsible for receiving the smoker(s), handling beyond curbside, and all utility connections and installation.

Common Carrier

Unless otherwise stated, Southern Pride will assign a freight company to deliver to specific “ship to” address. Freight charges will be prepaid and added.

A crating charge will be added. (See price list for crating charge for specific model.)

Lift gate delivery is available only for models SC-200, DH-65, and SRG-400 and must be requested when order is placed.

A \$54.00 fee is applied to all lift gate orders.

Customer is responsible for receiving, unloading and setting the smoker in place and all utility connections and installation.

Customer Arranged Freight

Customer would be responsible for making all arrangements for a freight company to pick the smoker up at Southern Pride’s factory in Alamo, TN and for all freight charges.

A crating charge will be added. (See price list for crating charge for specific model.)

Customer is responsible for receiving and unloading the smoker and all utility connections and installation.

Customer pick up at Southern Pride Factory in Alamo, TN

Southern Pride will set the smoker on customer’s trailer **only**. It is the customer’s responsibility to secure the smoker on their trailer. Any additional services provided by Southern Pride would be charged at a rate of \$75.00 per man hour plus material. **Customer is responsible for any freight damage, unloading, setting the smoker in place and all utility connections and installation.**

*** Southern Pride recommends smokers be secured to transporter with chains & booms (binders). NO ratchet straps. NO chains or straps over the top of Smoker.**

Damaged Goods

Thoroughly inspect the shipment immediately upon arrival. If goods are received in damaged condition, it is important you notify the carrier and insist on a notation of the damage on the freight bill. Without this notation, no claim can be enforced against the carrier. If the damage is extensive, it might be necessary to refuse the shipment and have it returned to Southern Pride. If concealed damage is discovered, notify the carrier as soon as possible and request an inspection. Unless you do this, the carrier will not entertain any claim for damage. If you give the carrier a clear receipt for goods that have been damaged in transit, you do so at your own risk and expense.

Sales Terms and Conditions

PLEASE READ THE FOLLOWING TERMS AND CONDITIONS CAREFULLY. THEY MATERIALLY AFFECT THE PARTIES' OBLIGATIONS. SELLER WILL ACCEPT ORDERS AND DO BUSINESS ONLY ON THE TERMS AND CONDITIONS ON THIS FORM.

I. ACCEPTANCE AND AGREEMENT: The provisions on the face of the Southern Pride Distributing, LLC (the "Seller") acknowledgment and these Terms and Conditions of Sale constitute the entire agreement between Seller and the customer (the "Customer") with respect to the purchase and sale of the products covered hereby (the "Products"), and supersede Customer's purchase order and all other communication between the parties, whether written or oral. No purported modification or waiver of the provisions hereof shall be binding on Seller for any reason of purpose unless contained in writing signed by an authorized representative of Seller.

II. LIMITED WARRANTY: Southern Pride Distributing, LLC. warrants to the original purchaser that any original part found to be defective in material or workmanship will, at Southern Pride Distributing's option, subject to provisions hereinafter stated, be replaced with a new or rebuilt part. The labor warranty, provided only in the U.S.A., remains in effect one (1) year from installation or fifteen (15) months from the shipping date, whichever occurs first. Southern Pride Distributing will bear normal labor charges performed by an authorized Southern Pride Distributing service agent during standard business hours, and excluding overtime, holiday rates or any additional fees. The parts warranty remains in effect for one (1) year from installation or fifteen (15) months from the shipping date, whichever occurs first. All warranty parts ship via standard ground delivery service.

The warranty does not cover the following:

- Improper installation, delivery or maintenance.
- Failure of the Product if it is abused, misused, or used for other than the intended purpose.
- Products which are not defective or broken, or which are working as described in the Owner's Manual.
- Damage to the Product caused by accident, fire, floods or acts of God.
- Damage caused by services performed by unauthorized service companies.
- Service calls to correct the installation of your Product or to instruct you how to use your Product.
- Expenses for making the Product accessible for servicing.
- Replacement of consumable parts; belts, gaskets, light bulbs, etc.

III. NO IMPLIED WARRANTY, REPRESENTATION OR CONDITION: To the extent permitted by law, neither Southern Pride nor any company/individual affiliated with it, makes any warranties, representations, conditions or promises express or implied as to the quality, performance or freedom from defect of the Products covered by these warranties other than those set forth above, and NO STATUTORY OR IMPLIED WARRANTIES OR CONDITIONS OF MERCHANTABILITY OR APPLICABLE PERIOD OF WARRANTY SET FORTH ON THIS PAGE. THE PURCHASER'S ONLY REMEDIES IN CONNECTION WITH THE BREACH OR PERFORMANCE OF ANY WARRANTY ON THE PRODUCTS ARE THOSE SET FORTH ON THIS PAGE. IN NO EVENT WILL SOUTHERN PRIDE OR ANY COMPANY/INDIVIDUAL AFFILIATED WITH IT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES. In no event shall Southern Pride be liable for loss of use, loss of revenue or profit, or loss of product, or for any indirect, incidental or consequential damages.

IV. LIMITATION OF LIABILITY: SELLER WILL NOT BE LIABLE UNDER ANY CIRCUMSTANCES FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES, INCLUDING WITHOUT LIMITATION ANY LOST PROFITS OR LABOR COSTS, ARISING FROM THE SALE, USE OR INSTALLATION OF THE PRODUCTS, FROM THE PRODUCTS BEING INCORPORATED INTO OR BECOMING A COMPONENT OF ANOTHER PRODUCT OR FROM ANY OTHER CAUSE WHATSOEVER, WHETHER BASED ON WARRANTY (EXPRESSED OR IMPLIED) OR OTHERWISE BASED ON CONTRACT, ON TORT OR ANY OTHER THEORY OF LIABILITY, AND REGARDLESS OF ANY ADVICE OR REPRESENTATIONS NOT IN WRITING THAT MAY HAVE BEEN RENDERED BY SELLER CONCERNING THE SALE, USE OR INSTALLATION OF THE PRODUCTS. In the event the above warranty fails to correct the purchaser's problems caused by defects in workmanship and/or materials, purchaser's exclusive remedy shall be limited to payment by Southern Pride of actual damages in an amount not to exceed the amount paid for the product.

V. DELAYS BEYOND THE CONTROL OF THE SELLER: Seller shall have no liability as a result of any delay or failure to manufacture, ship or deliver any Products to Customer if such delay or failure is directly or indirectly caused by fire, flood, strike, or other labor dispute, accident, inadequate transportation, shortage of labor, material or supplies, or due to regulations, priorities or orders of any governmental authority or due to any other cause, whether or not similar to the foregoing, beyond the reasonable control of Seller.

VI. CANCELLATION/CHANGE ORDERS: Seller must receive written notification of all cancellations and changes on in-house orders within 48 hours from date of order acknowledgment. Customer will be responsible for outgoing and return freight charges on orders shipped prior to the receipt by Seller of a written notice of cancellation or order change. Cancellation of Customer's order will be subject to Customer's payment of Seller's 20% cancellation charges, which shall include all reasonable costs incurred by Seller in preparing to meet Customer's anticipated delivery schedule, including without limitation commitments made by Seller to its suppliers, and the cost of inventory (raw materials, work-in-process and finished goods) allocated to Customer's order. Change orders will be billed in fifteen minute increments at a rate of \$75.00 per hour for both administrative and any applicable production labor required to accommodate the change order, plus any applicable component part cost, any change to order will incur a minimum \$50.00 processing fee.

(Continued on next page)

Sales Terms and Conditions (continued)

VII. SHIPMENT AND RETURNS: Seller reserves the right to select the manner and route of shipment unless at least 5 days prior to shipment Customer furnishes exact shipping instructions. Any Products which are not shipped as scheduled on account of Customer will be held at the sole risk and expense of Customer. All shipments for domestic sales (i.e., when the destination is within the United States) shall be F.O.B., point of shipment (within the meaning of the Uniform Commercial Code) and for export sales shall be Ex-Works, Seller's plant in Alamo, Tennessee, U.S.A. (within the meaning of INCOTERMS 2010), unless otherwise stated on the face of the Southern Pride Distributing acknowledgment. Prices are quoted based on these F.O.B. or Ex-Works terms, as applicable, unless otherwise specified. Prices include skidding, crating or boxing unless otherwise noted. Export processing and boxing for overseas shipment are at additional cost, as separately quoted. Customer agrees to assure all risks of loss or damage to the Products while being transported or enroute to truck or railroad, airway or other carrier direct to Customer. It is agreed that the carrier is to be the purchaser's agent for all purposes. Therefore, Customer must file claims for loss or damage directly with the carrier. Seller's responsibility ceases upon delivery, in good order, to the carrier. No returns will be accepted on special or custom built equipment or parts, or on equipment or parts older than ninety (90) days from the original date of shipment. Written permission must be obtained from Seller before returning any Products, and any Products returned without such written authorization will be refused as "Returned Shipment Unauthorized." All returned Products are subject to a 20% restocking fee.

VIII. FAIR LABOR STANDARDS ACT: Seller certifies that all Products covered by this order have been manufactured in compliance with the Fair Labor Standards Act, as amended, and all other applicable government laws and regulations.

IX. EQUAL OPPORTUNITY/AFFIRMATIVE ACTION CLAUSES: Seller certifies it is in compliance with Readjustment Assistance Act of 1974, as amended (38 USC 4212) and Section 503 of Rehabilitation Act of 1973, as amended.

X. PRICE CHANGES: Seller reserves the right to raise the prices set forth herein in connection with its adoption of a new price schedule or modification of an existing price schedule, provided such increase is generally applicable to Products of the kind covered hereby. Such revised prices shall be applicable hereunder on all shipments made on and after the effective date of the price change. Customer may upon receipt of notice of increase in prices of Products covered hereby, cancel that part of the order scheduled to be shipped within 4 weeks after the price notification and which will be subject to such increased prices, by written notice to Seller given within 7 days after its receipt of such notice.

XI. CREDIT AND TERMS: All prices are stated in and shall be payable in U.S. dollars. If domestic Customer's credit has been approved by Seller's credit department, terms of sale are 30% down, net 30 days from the date of invoice except where different terms are stated on the face hereof. If Customer's credit has not been so approved it will be required to make payment in advance, by wire transfer to Seller's account. If Customer is new, credit approval will be expedited if Customer promptly submits the names, address and phone numbers of at least three trade references and the name, address and phone numbers of Customer's bank. All International Customer accounts must be paid in full prior to shipment of Products.

XII. INFRINGEMENT: Seller at its own expense will defend and hold Customer harmless from and against all damages, costs and expenses arising from any valid claim of infringement of any patent, trademark registered design or other intellectual property rights caused by the Products originally manufactured by Seller, provided Customer (a) has not modified such Products, (b) gives Seller immediate notice in writing of a claim or institution or threat of suit, and (c) permits Seller to defend or settle the same, and gives all immediate information, assistance and authority to enable Seller to do so.

XIII. F.O.B. OR EX-WORKS: F.O.B. ALAMO, TN, UNLESS OTHERWISE STATED ON FACE OF DOCUMENT.

XIV. WORK BY OTHERS; ACCESSORIES AND SAFETY DEVICES: Unless otherwise agreed in writing, Seller has no responsibility for labor or work of any nature relating to the operation, use or installation of the Products, all which will be performed by Customer or others. It is the responsibility of Customer to furnish such accessory and safety devices as may be desired by it and/or required by law. Customer shall require its employees to use all safety devices, guards and proper and safe operating procedures to the extent set forth in operator and machine manuals and instruction sheets furnished by Seller. Customer is responsible for consulting any such manuals and instruction sheets, applicable OSHA regulations and other applicable sources.

XV. GENERAL: (a) No modification or waiver of this agreement or any of its provisions is valid unless expressly agreed to by Seller in writing, and no waiver by Seller of any default under this agreement is a waiver of any other subsequent default; (b) no agreement is formed hereunder unless Customer's order is accepted by Seller in writing; (c) the unenforceability or invalidity of one or more of the provisions of this agreement will not affect the enforceability or validity of any other provision of this agreement; (d) THE COMPLETE AGREEMENT BETWEEN SELLER AND CUSTOMER IS CONTAINED HEREIN AND NO ADDITIONAL OR DIFFERENT TERMS OR CONDITIONS STATED BY CUSTOMER SHALL BE BINDING UNLESS AGREED TO BY SELLER IN WRITING; (e) no course of dealing, usage of trade or course of performance will be relevant to supplement or explain any terms used in this agreement; (f) Customer may not assign any of its rights, duties or obligations under this Agreement without Seller's prior written consent and any attempted assignment without such consent, even if by operation of law, will be void; (g) this agreement is governed by and shall be construed in accordance with the internal laws of the State of Tennessee, including the Uniform Commercial Code as enacted by such state; provided, however, that the rights and obligations of the parties hereunder shall not be governed by the provisions of the 1980 United Nations Convention on Contracts for the International Sale of Goods; and (h) all export shipments hereunder are subject to compliance with the Export Administration Act, as amended, and the regulations thereunder, and all other U.S. laws and regulations concerning exports. Customer agrees to comply with all such laws and regulations concerning use, disposition and sale of the Products. Southern Pride Distributing's management reserves the right to make final decisions on all order related policies and/or cancellation/change fees and/or waivers. Final determination of the decision rests with an officer of Southern Pride Distributing or the President of the Company.